




XGUARD™ FOOD SHIELDS


ABOVE-COUNTER INSTALLATION FOR 1" XGUARD POSTS

For Stainless Steel Counter SS1: EZ Mount 2" x 8" Flange











For Millwork Counter MW1: Heavy-Duty Flange



For Millwork Counter MW2: Narrow Flange







XGUARD™ FOOD SHIELDS

UNDER-COUNTER INSTALLATION FOR 1" XGUARD POSTS

For Stainless Steel Counter (requires under-counter reinforcement and access)




For Stainless Steel Counter (requires under-counter reinforcement and access)




Verify Counter Thickness or Under-Counter Installation Depth in Inches


For Millwork Counter MWU3: Narrow Flange



For Millwork Counter MWU4: Compression Installation (not recommended for solid surfaces)



For Millwork Counter MWU5: Heavy-Duty Flange



Verify Counter Thickness or Under-Counter Installation Depth in Inches




XGUARD™ FOOD SHIELDS

ABOVE-COUNTER INSTALLATION FOR 1-1/2" XGUARD POSTS


For Millwork Counter
Surface Installation 720A/726A:
Steel Post and Flange
w/Flange Cover



For Millwork Counter Surface Installation 725A: Cut Flange




For Millwork Counter Concealed Fastener (not for cantilever units)



UNDER-COUNTER INSTALLATION FOR 1-1/2" XGUARD POSTS

(requires under-counter reinforcement and access)

Under-Counter Installation 720A/726A: Steel Post and Flange w/ Flange Cover




Under-Counter Installation 720A:

Steel Post and Flange w/out Flange Cover



Under-Counter Installation 725A: Narrow Custom Flange




FLANGE AND FLANGE COVER DIMENSIONS



3-7/8" 12-3/8"

725A Cut Flange



Specifications subject to change without notice.